




ITEM	QTY	P/N	DESCRIPTION
	X	D2965	CAP
1	1	D2965C	CAP
2	2	AELS-1032-225	INSERT



D2965 CAP



D2965 MODIFICATION DETAIL
(MAKE FROM D2965C)


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT PER QSI 005 4.3 TO MATCH REST OF SKIDTUBE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 0.42 lbs
 - 8) OPTIONAL: MASK AREA AS SHOWN PRIOR TO POWDER COAT TO IMPROVE FIT

RELEASED
2017-01-16
LEN 17-506




APPROVED

C	REFORMATED TO CURRENT STANDARD; MOVE $\phi 0.297$ HOLES TO IMPROVE FIT (PAR 15-463)	RF	17.01.10
B	ADD -3 CAP	PH	06.11.01
A	NEW ISSUE	RF	00.02.24
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2965	SHEET 1 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CAP	NTS
DATE	17.01.10	COPYRIGHT © 2000 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

ITEM	QTY	P/N	DESCRIPTION
	X	D2965-3	CAP
1	1	D2965C	CAP
2	2	AELS-1032-130	INSERT



D2965-3 CAP






D2965-3 MODIFICATION DETAIL
(MAKE FROM D2965C)

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT PER QSI 005 4.3 TO MATCH REST OF SKIDTUBE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 0.32 lbs
 - 8) OPTIONAL: MASK AREA AS SHOWN PRIOR TO POWDER COAT TO IMPROVE FIT

RELEASED
2017 -01- 16

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2965	SHEET 2 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CAP	NTS
DATE	17.01.10	COPYRIGHT © 2000 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D2965C CAP
(CASTING DETAIL)

NOTES:

- 1) MATERIAL: CAST ALUMINUM ALOY A356.2 (F)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.31 lbs

RELEASED
2017-01-16

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. C
MFG. APPR.	JLM	D2965	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CAP	NTS
DATE	17.01.10	COPYRIGHT © 2000 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	